

Asynchronous Parallel Methods

Collectives

- Reduce frequency of calculation by a factor X
 - e.g. trade more calculation for fewer synchronisations

```
loop over iterations:  
  update arrays;  
  compute local delta;  
  compute global delta  
  using allreduce;  
  stop if less than  
  tolerance value;  
end loop
```


```
loop over iterations:  
  update arrays;  
  every X iterations:  
    local delta;  
    global delta;  
    can we stop?;  
end loop
```

- Possible because array updates independent of global values
 - may not be true for, e.g., Conjugate Gradient ; can use different algorithms, e.g. Chebyshev iteration
 - again, more iterations but less synchronisation

Barriers

- (Almost) never required for MPI program correctness
- Why?
 - because collectives do the appropriate synchronisation
 - because MPI_Recv is synchronous

Normal halo swapping



```
swap data into 4 halos: i=0, i=M+1, j=0, j=M+1
loop i=1:M; j=1:N;
  new(i,j) = 0.25* (    old(i-1,j) + old(i+1,j)
                      + old(i,j-1) + old(i,j+1)
                      - edge(i,j) )
```

Halo swapping




- Do not impose unnecessary ordering of messages

```
loop over directions:  
  send up; recv down;  
  send down; recv up;  
end loop
```

```
loop over directions:  
  isend up; irecv down;  
  isend down; irecv up;  
end loop  
wait on all requests;
```

- Extensions
 - can now overlap communications with core calculation
 - only need to wait for receives before non-core calculation
 - wait for sends to complete before starting next core calculation


Overlapping



```
start non-blocking sends/recvs
loop i=2:M-1; j=2:N-1;
    new(i,j) = 0.25*(    old(i-1,j) + old(i+1,j)
                      + old(i,j-1) + old(i,j+1)
                      - edge(i,j)
                      )
wait for completion of non-blocking sends/recvs
complete calculation at the four edges
```


Halos of Depth D every D iterations

- Smaller number of larger messages; increased computation



```
loop d=D:1:-1
  loop i=2-d:M+d-1; j=2-d:N+d-1;
    new(i,j) = 0.25*(      old(i-1,j) + old(i+1,j)
                        + old(i,j-1) + old(i,j+1)
                        - edge(i,j) )
```

Swap depth D every D iterations



- Need diagonal communications

Implementation

- Do 8 non-blocking sends and 8 non-blocking receives
 - as opposed to only 4 for depth=1
 - ... or 26 vs 6 for three dimensions
 - when we wanted to send fewer messages!
- Can “carry” halos rather than explicit diagonal comms
 - ordered swaps: left/right after up/down ...
 - – ... but introduces more synchronisation
- Quite hard to implement in practice
 - $D=1$ is (thankfully) special case for 5-point stencil with no diagonals

Persistent communications

- Standard method: run this code every iteration

```
MPI_Irecv(..., procup, ..., &reqs[0]);  
MPI_Irecv(..., procdn, ..., &reqs[1]);  
MPI_Isend(..., procdn, ..., &reqs[2]);  
MPI_Isend(..., procup, ..., &reqs[3]);  
MPI_Waitall(4, reqs, statuses);
```

- Persistent comms: setup *once*

```
MPI_Recv_init(..., procup, ..., &reqs[0]);  
MPI_Recv_init(..., procdn, ..., &reqs[1]);  
MPI_Send_init(..., procdn, .... &reqs[2]);  
MPI_Send_init(..., procup, ..., &reqs[3]);
```

- Every iteration:

```
MPI_Startall(4, reqs);
```

- Warning

- message ordering *not guaranteed to be preserved*